

Technical data sheet

Equipotential busbar for flexible wall mounting with separation point

Item number: 5015876



Main equipotential busbar for equipotential bonding to VDE 0100 Part 410/-540 and lightning protection equipotential bonding to VDE 0185-305 (IEC 62305)

- With separation point (Disconnect - DC)
- For flexible wall mounting
- Complete with profile rail (FT) and screws
- Rust-proof stainless steel versions (V2A) are suitable for outdoor use
- Quick, simple mounting of the connection cable using lock bolts M10
- With lock washer (DIN 137) for bolt locking against loosening




A2 Stainless steel

Master data

| | |
|---------------------|---------------------------|
| Item number | 5015876 |
| Type | 1802 DC 5+5 VA |
| Description 1 | Equipotential busbar |
| Description 2 | BigBar/5+5 connections VA |
| Manufacturer | OBO |
| Dimension | 5+5 x M10 |
| Material | Stainless steel |
| Smallest sales unit | 1 |
| Unit of quantity | Piece |
| Weight | 237 kg |
| Weight unit | kg/100 pc. |

Dimensions



| | |
|--------|--------|
| Length | 605 mm |
| Width | 40 mm |
| Height | 85 mm |

Technical data sheet

Equipotential busbar for flexible wall mounting with separation point

Item number: 5015876



Technical data

| | |
|--|-----------------------|
| Quantity of flat conductor connections up to 30 mm | 0 |
| Quantity of flat conductor connections up to 40 mm | 0 |
| Quantity of cable connections up to 16 mm ² , rigid | 0 |
| Quantity of cable connections up to 25 mm ² , rigid | 0 |
| Quantity of cable connections up to 6 mm ² , rigid | 0 |
| Quantity of cable connections up to 95 mm ² , rigid | 0 |
| Quantity of round conductor connections 10 mm | 0 |
| Quantity of round conductor connections 8 mm | 0 |
| Quantity of round conductor connections 8-10 mm | 0 |
| Number of connections | 10 |
| Version for | Only terminal |
| Type | Modular structure |
| Lightning current carrying capacity | H/100 kA |
| Insulator | yes |
| Material of the terminal | Rustproof steel (V2A) |
| Material of the contact rail | Rustproof steel (V2A) |