


Technical data sheet

Cable ladder SSP130 Nema 20C, 6 m

Item number: 6905061



Heavy-duty SSP130 cable ladder system, welded version. The side height is 130 mm with a supply length of 6000 mm.



- St** Steel
- FT** Hot-dip galvanised

Master data

| | |
|---------------------|--------------------|
| Item number | 6905061 |
| Type | SSP130 400 HDG |
| Description 1 | Cable ladder |
| Description 2 | SSP130 Nema 20B |
| Manufacturer | O-line |
| Dimension | 6000x400x130 |
| Material | Steel |
| Surface | Hot-dip galvanised |
| Surface standard | DIN EN ISO 1461 |
| Smallest sales unit | 6 |
| Unit of quantity | Metre |
| Weight | 871.34 kg |
| Weight unit | kg/100 m |

Dimensions

| | |
|-------------|----------|
| Length | 6,000 mm |
| Length | 6,000 ft |
| Width | 400 mm |
| Height | 130 mm |
| Dimension B | 400 mm |

Technical data sheet

Cable ladder SSP130 Nema 20C, 6 m

Item number: 6905061



Technical data

| | |
|----------------|--------|
| Rung distance | 300 mm |
| Rail thickness | 2 mm |

Loads

| | |
|-----------------------|-----------|
| Support spacing 3.0 m | 3 kN/m |
| Support spacing 4.0 m | 2.2 kN/m |
| Support spacing 6.0 m | 1.65 kN/m |